



TM-3600 Series

TM-3600 Series

17" touch Monitor

1280 x 1024, 4: 3 ratio

The 17" Touch Monitor That with Projected Capacitive Touch and More Innovation



D ● B e s t

Ordering information:

TM-3600B: 17" touch monitor,
1280 x 1024, 4: 3 ratio,
with projected capacitive touch, Black.

1. Need for 17" monitor with 4: 3 ratio

17" touch monitor is not only good for the fashioned shops and branded retails channels, but also for the office hospitality and banking solutions such as ATM, and Kiosks. TM-3600 with projected capacitive touch as standard with IP 54, it is a quality, durable and excellent touch sensitive for your applications

2. In Good hands

The 17" touch monitor features 1280 x 1024 resolutions which help you to have the photo images more clear. Furthermore the 4: 3 ratio TFT is easy to work with your current applications.

The 17" touch monitor can be positioned for the 2nd touch monitor of the cashier counter for surveillance applications.

3. Give You Best

Besides the general monitor functions, TM-3600 features the outstanding functions as below for your easy applications:

- a. Main Menu supports Auto adjust, Luminance, color, OSD and Language settings
- b. Supports 2 x USB
- c. Supports DVI + VGA both

4. State-of-the-art design

The TM-3600 touch monitor with the aluminum chassis and True-flat design with Projected capacitive touch to offer you the excellent operation and high-end contemporary touch. Furthermore. The unique design on the rear chassis which includes the slim—and-compact rear support your easy carrying, and excellent ventilate design.



Technical Specifications

Model		TM-3600 Series	
LCD Panel		Control/Indicator	
Panel Size	17"	Power Button	One
Maximum Resolution	1280 x 1024	Menu Button	One
Brightness	250 cd/m ²	Up Button	One
Contrast Ratio	1000 : 1	Down Button	One
Response Time	5 msec	Auto Adjust Button	One
View Angles (H/V)	170 / 160		
Touch Panel	Projected capacitive touch		
Power		Dimensions	
Power Adaptor	Input AC 100-240V 2.5A 50/60Hz, Output DC 12V 3.33A	TM-3600	393(W) X 219.6(L) X 351.6(H) unit : mm
I / O		Environment	
VGA Input	One VGA D-Sub	Operating Temperature	0°C ~ 40°C (32°F ~ 104°F)
DVI Input	One DVI-I	Storage Temperature	- 20°C ~ 60°C (- 4°F ~ 140°F)
USB	Two (type A) One (type B) For PC	Operating Humidity	10% - 80% RH non condensing
Serial	One For Customer Display	Storage Humidity	10% - 80% RH non condensing



BIRCH TECHNOLOGY INC

Birch is a trademark of Birch Technology U.S.A. Inc
All other products, brands or companies are trademarks or registered trademarks of their respective companies.

Specifications are subject to change without prior notice

BIRCH TECHNOLOGY INC. 7F-13, No 79, Hsin Tai 5th Rd., Sec 1, Hsichih Dist., New Taipei City, Taiwan Tel:886-2-2698-9596 Fax:886-2-2698-9597 E-mail:sales@mail.birch.com.tw

<http://www.e-birch.com>

<http://www.birch.com.tw/>

Contact us for details